LUXION by Case-Smart®


DATASHEET
LX-MP210GF-B


LUXION double Schuko socket with glass frame for a single flush-mounted box


Elegant LUXION double Schuko socket with glass frame for a single flush-mounted box, featuring child protection and a finish that does not fade.




Black


Gold


Grey


White

CODES


Colour	Code	EAN
Black	LX-MP210GF-B	9801052535974
Gold	LX-MP210GF-G	9119384994421
Grey	LX-MP210GF-GY	6235997880555
White	LX-MP210GF-W	9748101351874

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Sockets › Schuko sockets with glass frame
Product type	Double Schuko socket with glass frame for a single flush-mounted box
Number of sockets	2
Operating voltage	250 V~
Rated current	16 A
Earthing	Standard Schuko earthing, with child protection
Front material	Glass
Base material	Flame-retardant PVC, internal brass contacts
Front dimensions (W × H)	86 × 86 mm
Depth	21 mm + 9 mm + 20 mm
Mechanism dimensions	Height 50 mm
Fixing screw spacing	60 mm
Flush-mounted box	Single flush-mounted box

Mounting	Flush-mounted, metal support frame, screw fixing
Protection rating	IP20
Colours	white, black, gold, grey

DIMENSION DRAWING



DESCRIPTION

LUXION sockets stand out for their compact, elegant and minimalist design. They are versatile, feature child protection, and their latest-generation technology helps save energy.

The construction is durable and the sockets do not fade over time. This is a practical product, made from quality materials and built to last, offering usability and comfort in your home.

- Double Schuko socket with glass frame
- Fits a single flush-mounted box
- Rating 16A 250V~, protection rating IP20

Features

Enjoy the versatility of the new LUXION sockets. The LUXION double socket comes with a glass frame and fits a single flush-mounted box.

- Compact, elegant and minimalist design
- Double Schuko socket with glass frame
- For a single flush-mounted box
- Child protection
- Durable construction that does not fade over time
- In white, black, gold and grey

Structure / components

The socket consists of a glass frame, a socket mechanism and a metal frame.

- Glass frame
- Socket mechanism
- Metal frame
- Screw fixing system: 60 mm

Dimensions

- Width: 86 mm
- Height: 86 mm
- Depth: 21 mm + 9 mm + 20 mm
- Mechanism height: 50 mm

diagram.

- Neutral (N)
- Earth line
- Live (L)
- 16A 250V~

- 2. Fix the mechanism to the metal frame and connect the wires according to the diagram.
- 3. Fix the mechanism into the flush-mounted box.
- 4. Fit the glass frame and then secure the mechanism with the screws.