LUXION RF433 double touch switch with glass panel and aluminium frame

LUXION double touch switch with safety glass, aluminium frame and RF433 remote control, up to 1000W per channel.




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-MT-R201A-B
Gold	LX-MT-R201A-G
Grey	LX-MT-R201A-GY
White	LX-MT-R201A-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Double touch switches
Connectivity	RF433
Product type	Double touch switch with glass panel and aluminium frame, RF433
Function	Touch ON / OFF, remote control with Luxion RF433 remote (sold separately)
Number of buttons	2
Operating voltage	Up to 250 V AC
Frequency	50–60 Hz
Maximum load	1000 W/channel
Protocol	RF433
LED indicator	Blue when the light is on, faint blue when it is off
Front material	Safety glass with aluminium frame
Glass thickness	4 mm
Base material	Flame-retardant PVC plastic

Front dimensions (W × H)	86 × 86 mm
Depth	35 mm (panel 9 mm + mechanism 26 mm)
Mechanism dimensions	Height 49 mm, depth 26 mm
Fixing screw spacing	60 mm
Protection rating	IP20
Operating temperature	-20 °C ~ 70 °C
Operating humidity	≤95%
Colours	white, black, grey, gold

DIMENSION DRAWING



DESCRIPTION

LUXION switches stand out for their compact, elegant and minimalist design. They are versatile in use, while the touch sensor is extremely precise, the same as that of a smartphone.

The construction is durable and the switches do not discolour over time. This is a practical product, made from quality materials and built to last, offering functionality and comfort in your home.

The double touch switch features a glass panel with an aluminium frame and supports RF433, so you can also switch the lights on and off remotely with the Luxion RF433 remote control.

Please note: the RF remote control is not included in the package and is sold separately. Images are for illustration purposes only.

LUXION double touch switch with aluminium frame, with RF433 support.

- Double touch switch
- Aluminium frame
- RF433 support
- Extremely precise touch sensor, the same as that of a smartphone
- Moisture-resistant: can be used in humid environments
- Does not discolour: the elegant design remains unchanged
- LED indicator: blue when the light is on, faint blue when it is off

Control with RF remote

Using the Luxion RF433 remote control, you can switch Luxion RF switches on or off remotely. The RF remote control is not included and is sold separately.

- Switch mechanism
- Metal mounting frame
- Screw fixing system: 60 mm

Dimensions

- Width: 86 mm
- Height: 86 mm
- Panel thickness: 9 mm
- Mechanism depth: 26 mm
- Mechanism height: 49 mm

Installation / wiring diagram

Connect the live (L) to terminal L and the two lighting loads to terminals L1 and L2; the neutral (N) runs to the lamps. Do not install with the power connected.

- Terminals: L, L1, L2
- Operation as a one-way switch with remote control (1Way Remote Switch)
- 1. Open the package.
- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel.