LUXION double two-way / intermediate touch switch with glass panel and aluminium frame, RF433

LUXION double two-way / intermediate touch switch with glass panel, aluminium frame and RF433, up to 3 switches per circuit.




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-MT-R202A-B
Gold	LX-MT-R202A-G
Grey	LX-MT-R202A-GY
White	LX-MT-R202A-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Two-way / intermediate touch switches
Connectivity	RF433
Product type	Double two-way / intermediate RF433 touch switch with glass panel and aluminium frame
Function	Two-way / intermediate (up to 3 switches per circuit), with RF433 remote control
Number of gangs	2
Operating voltage	Up to 250 V AC
Frequency	50–60 Hz
Maximum load	1000 W per channel
Neutral (N)	Yes (according to the wiring diagram)
Protocol	RF433
Compatibility	Only with LUXION two-way switches (does not work with other brands); LUXION RF433 remote control (sold

LED indicator	Blue when the light is on, faint blue when it is off
Front material	Safety glass with aluminium frame
Glass thickness	4 mm
Base material	Flame-retardant PVC plastic, metal mounting frame
Front dimensions (W × H)	86 × 86 mm
Depth	35 mm (panel 9 mm + mechanism 26 mm)
Mechanism dimensions	Height 49 mm, depth 26 mm
Fixing screw spacing	60 mm
Mounting	Flush-mounted, screw fixing
Protection rating	IP20
Operating temperature	-20 ~ +70 °C
Operating humidity	≤95%
Colours	white, black, gold, grey

DIMENSION DRAWING



DESCRIPTION

LUXION switches stand out for their compact, elegant and minimalist design. They are versatile, and the touch sensor is extremely precise, the same as that of a smartphone. The construction is durable and the switches do not discolour over time. This is a practical product, made from quality materials and built to last, offering functionality and comfort in your home.

Up to 3 switches can be connected on the same circuit (intermediate).

The switch can also be controlled remotely with the Luxion RF433 remote control. The RF remote control is not included and is sold separately.

- Double touch switch
- Two-way / intermediate
- Aluminium frame
- LUXION
- RF433

Important: compatibility

Two-way switches only work when installed and synchronised with other Luxion two-way products. Luxion products DO NOT WORK with other brands.

Touch sensor

The touch sensor is extremely precise, the same as the sensor of a smartphone.

Moisture-resistant

Can be used in humid environments.

Control with RF remote

With the RF remote control you can switch Luxion RF switches on or off. Note: the image is for illustration only and the RF remote control is not included; it is sold separately.

- Switch mechanism
- Metal mounting frame
- Screw fixing system: 60 mm

Dimensions

- Width: 86 mm
- Height: 86 mm
- Panel thickness: 9 mm
- Mechanism height: 49 mm

Wiring diagram

The switch is connected according to the wiring diagram.

- Live (L)
- Neutral (N)
- Two-way – intermediate
- L1
- L(A)
- 2Way Remote Switch

Installation steps

- 1. Open the packaging.
- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel.