LUXION RF433 double two-way touch switch mechanism

Double two-way touch switch mechanism with RF433, for fitting in a LUXION glass panel or frame.



CODES


Colour	Code	EAN
–	LX-MT-R202	0658606019775

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Build your own › Mechanisms › Two-way / intermediate mechanisms
Connectivity	RF433
Product type	RF433 double two-way touch switch mechanism (without glass panel and metal frame)
Function	Two-way / intermediate (up to 3 switches in the circuit), RF remote control
Number of buttons	2
Operating voltage	Up to 250 V AC
Frequency	50–60 Hz
Maximum load	1000 W/channel
Protocol	RF433
Compatibility	LUXION RF433 remote control or switch-type RF remote control (sold separately); only with LUXION glass frames and panels
LED indicator	Blue when the light is on, faint blue when it is off
Base material	Flame-retardant PVC plastic
Mechanism dimensions	50 × 50 mm, depth 5 + 26 mm, 49 mm (side dimension)
Fixing screw spacing	60 mm

Operating temperature	-20 °C ~ 70 °C
Operating humidity	≤ 95%

DIMENSION DRAWING



DESCRIPTION

LUXION double two-way touch switch mechanism with RF433. The mechanism can be fitted on its own in a Luxion panel or together with other Luxion sockets and switches in a Luxion glass frame.

Compatible only with LUXION glass frames and panels.

Controlled with the LUXION RF remote control or with the switch-type RF remote control.

Please note: remote controls are sold separately!

Up to 3 switches (with an intermediate switch) can be connected in the circuit.

Features

LUXION double two-way touch switch mechanism with RF433, for controlling lighting from two points, e.g. at the top and bottom of a staircase.

- 2 channels (outputs L1 and L2)
- Two-way / intermediate connection, up to 3 switches in the circuit
- RF433 wireless control
- Blue LED indicator when the light is on and faint blue when it is off

Remote control

The mechanism is controlled remotely with a LUXION RF433 remote control.

- LUXION RF remote control
- Switch-type RF remote control
- Remote controls are sold separately

Construction / components

The product is the switch mechanism only.

- Glass panel (not included)
- Metal frame (not included)
- Compatible only with LUXION glass frames and panels

Dimensions

Fixed with a screw system at 60 mm spacing.

- Width: 50 mm
- Height: 50 mm
- Thickness: 5 mm + 26 mm
- Mechanism depth: 49 mm
- Fixing screw spacing: 60 mm

wiring diagram.

- Live (L) and neutral (N)
- Terminals: L2, L1, L(A)
- Two-way - intermediate connection
- 2Way Remote Switch