
LUXION RF433 Triple Touch Switch with Glass Frame


LUXION triple touch switch with glass panel and RF433, also operable with the LUXION RF remote control (sold separately).




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-MT-R301G-B
Gold	LX-MT-R301G-G
Grey	LX-MT-R301G-GY
White	LX-MT-R301G-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Triple touch switches
Connectivity	RF433
Product type	RF433 triple touch switch with glass frame
Function	One-way on/off switch with touch and RF433 remote control
Number of buttons	3
Operating voltage	Up to 250 V AC
Frequency	50–60 Hz
Maximum load	1000 W per button
Neutral (N)	Not connected to the switch (N connects to the light fittings)
Terminals	L, L1, L2, L3
Protocol	RF433
Compatibility	LUXION RF433 remote control (sold separately)
LED indicator	Blue when the light is on, dim blue when off

Glass thickness	4 mm
Base material	Flame-retardant PVC plastic
Front dimensions (W × H)	86 × 86 mm
Depth	35 mm overall (panel 9 mm + mechanism 26 mm)
Mechanism dimensions	Height 49 mm, depth 26 mm
Fixing screw spacing	60 mm
Protection rating	IP20
Operating temperature	-20 ~ +70 °C
Operating humidity	≤95%
Package contents	Glass panel, switch mechanism, metal frame
Colours	white, black, grey, gold

DIMENSION DRAWING



DESCRIPTION

The LUXION triple touch switch with glass frame, featuring RF433 technology.

It can be controlled with the LUXION RF remote control. *Please note: the remote control is sold separately!*

LUXION switches stand out for their compact, elegant and minimalist design. They are versatile in use, and the touch sensor is extremely precise, the same as that of a smartphone. The construction is durable and the switches do not discolour over time.

This is a practical product, made from quality materials and built to last, offering functionality and comfort in your home.

The LUXION RF433 triple touch switch combines a clean look with modern touch control.

- Triple touch switch
- RF433 compatible
- Elegant glass front panel

Touch sensor

The touch sensor is extremely precise, the same as the sensor of a smartphone.

Does not discolour

The elegant design remains unchanged over time.

ON / OFF indicator

The LED indicator light shows the status of each button.

- ON: blue LED when the light is on
- OFF: dim blue LED when the light is off

RF remote control

With the RF remote control you can switch LUXION switches on and off from a distance. Please note: the RF remote control is not included and must be purchased separately.

- Elegant glass panel
- Switch mechanism
- Metal mounting frame
- Screw fixing system: 60 mm
- Terminals: L, L1, L2, L3
- Type: one-way remote-controlled switch (1Way Remote Switch)

Dimensions

- Width: 86 mm
- Height: 86 mm
- Panel thickness: 9 mm
- Mechanism depth: 26 mm
- Mechanism height: 49 mm

Installation / wiring diagram

Connect the live wire (L) to terminal L and each of the three light fittings to terminals L1, L2 and L3; the neutral (N) is connected to the light fittings. Installation must be carried out strictly according to the wiring diagram and never while live.

- Live (L): terminal L
- Lighting outputs: L1, L2, L3
- Neutral (N): to the light fittings

Installation steps

- 1. Open the package.
- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel (snap-on).