LUXION single-gang two-way / intermediate RF433 touch switch with glass frame

Single-gang two-way / intermediate touch switch with glass frame and RF433, for control with the Luxion RF remote control (sold separately).




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-MT-R102G-B
Gold	LX-MT-R102G-G
Grey	LX-MT-R102G-GY
White	LX-MT-R102G-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Two-way / intermediate touch switches
Connectivity	RF433
Product type	Single-gang two-way / intermediate RF433 touch switch with glass panel
Function	Two-way / intermediate, touch and RF remote control
Number of buttons	1
Operating voltage	Up to 250 V AC
Frequency	50/60 Hz
Maximum load	1000 W/channel
Protocol	RF
RF frequency	RF433
Compatibility	LUXION RF433 remote control (sold separately)
LED indicator	Blue when the light is on, dim blue when off
Front material	Heat-resistant crystal safety glass

Base material	Flame-retardant PVC plastic
Front dimensions (W × H)	86 × 86 mm
Depth	35 mm
Fixing screw spacing	60 mm
Mounting	Flush-mounted
Protection rating	IP45
Operating temperature	-20 °C ~ 70 °C
Operating humidity	≤ 95%
Colours	white, black, gold, grey

DIMENSION DRAWING



DESCRIPTION

Luxion single-gang two-way / intermediate touch switch with glass frame, with RF433. It can be controlled with the Luxion RF remote control. Please note: the remote control is not included and must be purchased separately.

LUXION switches stand out for their compact, elegant and minimalist design. They are versatile in use and the touch sensor is extremely precise, the same as that of a smartphone. The construction is durable and the switches do not discolour over time. This is a practical product, made from quality materials and built to last, offering functionality and comfort in your home.

- Single-gang touch switch
- Two-way / intermediate operation
- RF433 remote control support

Compatible with the Luxion RF remote control.

The Luxion single-gang two-way / intermediate touch switch with RF433 is available in various colours.

- Single-gang touch switch
- Two-way / intermediate operation
- RF433 remote control support

Touch sensor

The touch sensor is extremely precise, the same as the sensor of a smartphone.

Moisture resistant

It can be used in damp areas.

Does not discolour

The elegant design stays unchanged over time.

ON / OFF with LED indicator

The blue LED indicator shows the lighting status.

- ON: blue LED when the light is on
- OFF: dim blue LED when the light is off

switch Luxion switches on or off remotely. Image for illustration only: the RF remote control is not included and must be purchased separately.

Structure / components

The switch consists of three main parts.

- Elegant glass panel
- Switch mechanism
- Metal frame
- Screw fixing

Dimensions

- Overall dimensions: 86 x 86 x 35 mm
- Fixing screw spacing: 60 mm

Installation / wiring diagram

Wiring diagram for two-way / intermediate connection.

- Live (L)
- Neutral (N)
- Two-way – intermediate connection between the switches
- Terminals L1 and L(A)
- 2-position switch with remote control (2Way Remote Switch)