# LUXION single intermediate mechanical switch with glass frame

LUXION single intermediate mechanical switch with glass frame, in white, black, grey and gold.




Black


Gold


Grey


White

## CODES


| Colour | Code |
|---|---|
| Black | LX-MP003GF-B |
| Gold | LX-MP003GF-G |
| Grey | LX-MP003GF-GY |
| White | LX-MP003GF-W |

## SPECIFICATIONS

| | |
|---|---|
| Brand | LUXION |
| Standard | German (Schuko) |
| Category | Mechanical switches › Mechanical two-way / intermediate |
| Product type | Single intermediate mechanical switch with glass frame |
| Function | Intermediate (used with two-way switches) |
| Number of buttons | 1 |
| Operating voltage | 250 V AC (maximum) |
| Rated current | 10 A |
| Front material | Safety glass |
| Glass thickness | 4 mm |
| Base material | Flame-retardant PVC plastic, with metal frame |
| Front dimensions (W × H) | 86 × 86 mm |
| Depth | 29 mm (9 mm front + 20 mm mechanism) |
| Mechanism dimensions | Height 49 mm |
| Fixing screw spacing | 60 mm |

| | |
|---|---|
| Protection rating | IP20 |
| Operating temperature | -20 ~ +70 °C |
| Operating humidity | ≤ 95% |
| Durability | Up to 100,000 operations |
| Colours | white, black, grey, gold |

## DIMENSION DRAWING




## DESCRIPTION

LUXION mechanical switches stand out for their compact, elegant and minimalist design. They are practical, made from quality materials and built to last, bringing functionality and comfort to your home.

The single intermediate mechanical switch with glass frame is used together with two-way switches, so you can control the same light fitting from more than two points, e.g. in hallways and stairwells.

- Frame made of 4 mm thick safety glass
- Mechanism made of flame-retardant PVC plastic
- Rated for up to 100,000 operations
- Does not discolour – the elegant design stays unchanged

### Features

Enjoy the versatility of the new mechanical switches. LUXION single intermediate mechanical switch with glass frame, with a compact, elegant and minimalist design.

- Does not discolour: the elegant design stays unchanged
- 4 mm thick safety glass
- Rated for up to 100,000 operations

### Ideal for

- Office
- Bedroom
- Kitchen
- Living room

### Structure / components

- Glass frame
- Switch mechanism
- Metal mounting frame
- Screw fixing, 60 mm fixing distance

### Dimensions

- Width: 86 mm
- Height: 86 mm
- Depth: 34 mm
- Mechanism height: 49 mm

diagrams with neutral (N) and live (L).

- Diagram 1: intermediate switch connection
- Diagram 2: two-way switch + intermediate switch + two-way switch

- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel (snap-on).