LUXION single two-way mechanical switch with glass frame

LUXION single two-way mechanical switch with a safety glass frame, in white, black, grey and gold.




Black


Gold


Grey


White

CODES


Colour	Code	EAN
Black	LX-MP002GF-B	7862423392116
Gold	LX-MP002GF-G	9094193645194
Grey	LX-MP002GF-GY	7061140920552
White	LX-MP002GF-W	9439947225725

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Mechanical switches › Mechanical two-way / intermediate
Product type	Single two-way mechanical switch with glass frame
Function	Two-way, mechanical
Number of buttons	1
Operating voltage	250 V AC (max.)
Rated current	10 A
Front material	Safety glass
Glass thickness	4 mm
Base material	Mechanism in flame-retardant PVC plastic, metal mounting frame
Front dimensions (W × H)	86 × 86 mm
Depth	34 mm
Mechanism dimensions	Height 49 mm
Fixing screw spacing	60 mm
Mounting	Flush-mounted, screw fixing

Operating temperature	-20 °C ~ 70 °C
Operating humidity	≤95%
Durability	Up to 100,000 operations
Colours	white, black, grey, gold

DIMENSION DRAWING



DESCRIPTION

LUXION mechanical switches stand out for their compact, elegant and minimalist design. They are practical, made from quality materials and built to last, bringing functionality and comfort to your home.

The single two-way switch with a safety glass frame lets you control one light point from two or more locations, in combination with another two-way switch or with intermediate switches.

- Mechanical operation rated for up to 100,000 operations
- Fade-resistant front: its elegant look stays unchanged
- Available in white, black, grey and gold

Features

Compact, elegant and minimalist design. Enjoy the versatility of the new mechanical switches: the LUXION single two-way mechanical switch with glass frame.

- Fade-resistant: its elegant look stays unchanged
- Glass frame made of safety glass
- Rated for up to 100,000 operations

Ideal for

- Office
- Bedroom
- Kitchen
- Living room

Structure / components

The switch consists of three parts and is fixed with screws.

- Glass frame
- Switch mechanism
- Metal frame
- Screw fixing system, 60 mm screw spacing

Dimensions

- Width: 86 mm
- Height: 86 mm
- Depth: 34 mm
- Mechanism height: 49 mm

to the wiring diagrams.

- Diagram 1: two two-way switches for one light point
- Diagram 2: two-way switch – intermediate switch – two-way switch
- Diagram 3: two-way switch – intermediate switch – intermediate switch – two-way switch

- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel (snap-on).