LUXION triple + triple + triple touch switch with glass frame

LUXION triple + triple + triple touch switch on a glass panel, with a touch sensor as precise as a smartphone's and a minimalist design.






Black



Gold



Grey



White

CODES

Colour	Code
Black	LX-ST-301/301/301-B
Gold	LX-ST-301/301/301-G
Grey	LX-ST-301/301/301-GY
White	LX-ST-301/301/301-W


SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Combinations in one frame
Product type	Triple + triple + triple touch switch with glass frame
Function	On/off touch switch
Number of buttons	9 (3 × 3)
Operating voltage	110–240 V
Frequency	50/60 Hz
Rated current	Up to 10 A per switch
LED indicator	Blue when the light is on, dim blue when it is off
Front material	Glass
Base material	Metal frame
Front dimensions (W × H)	228 × 86 mm
Depth	35 mm overall (panel 9 mm)
Mechanism dimensions	Height 49 mm, depth 26 mm

Mounting	Flush-mounted, screw fixing
Protection rating	IP45
Operating temperature	-20 ~ +70 °C
Operating humidity	10% ~ 93% (relative)
Service life	Up to 100,000 operations
Package contents	Glass panel, switch mechanisms, metal frame
Colours	white, black, grey, gold

DIMENSION DRAWING

Dimensions in mm



Front view

Side view

DESCRIPTION

Luxion triple + triple + triple touch switch with glass frame. LUXION switches stand out for their compact, elegant and minimalist design. They are versatile in use, and the touch sensor is extremely precise, the same as that of a smartphone.

The construction is durable and the switches do not discolour over time. This is a practical product, made from quality materials and built to last, bringing functionality and comfort to your home.

- Three triple touch mechanisms on a single glass panel
- Precise touch sensor, like a smartphone's
- Also suitable for damp areas
- Does not discolour over time

Compact, elegant and minimalist design

Enjoy the versatility of the new Luxion switches. The LUXION triple + triple + triple touch switch combines three triple touch mechanisms on one glass panel.

Touch sensor

The touch sensor is extremely precise, the same as the sensor of a smartphone.

Moisture resistant

Can be used in damp areas.

Does not discolour

The elegant design stays unchanged over time.

Structure / components

- Glass panel
- Switch mechanisms
- Metal frame

- Height: 86 mm
- Distance between fixing points: 202 mm
- Fixing screw spacing: 60 mm
- Panel thickness: 9 mm
- Mechanism depth: 26 mm
- Mechanism height: 49 mm

live wire connects to the L terminal and each light fitting to one of the L1, L2 or L3 outputs.

- Live (L)
- Neutral (N)
- Outputs per mechanism: L1, L2, L3

Installation steps

- 1. Open the package.
- 2. Connect the wires and tighten the screws.
- 3. Fix the frame with the screws.
- 4. Fit the front panel.