

LUXION Wi-Fi touch curtain switch with glass frame


Wi-Fi touch switch for curtains with a glass frame, control via the Smart Life app and voice commands through Alexa and Google Home.




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-WT-C201G-B
Gold	LX-WT-C201G-G
Grey	LX-WT-C201G-GY
White	LX-WT-C201G-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Smart Wi-Fi and Zigbee
Connectivity	Wi-Fi
Product type	Wi-Fi touch curtain switch with glass frame
Function	Curtain motor control (open / close), locally and via app
Operating voltage	90–250 V AC
Frequency	50/60 Hz
Maximum load	1000 W/channel
Standby consumption	≤ 0.2 W (wireless operation)
Neutral wire (N)	Required (N, L, motor outputs L1 / L2)
Protocol	Wi-Fi 2.4 GHz, IEEE 802.11 b/g/n
Compatibility	Smart Life / Tuya Smart (iOS/Android), Amazon Alexa, Google Home, IFTTT
Front material	Toughened safety glass
Glass thickness	4 mm
Base material	Non-flammable PVC plastic, with

Front dimensions (W × H)	86 × 86 mm
Depth	35 mm (9 mm front + 26 mm mechanism)
Mechanism dimensions	Height 49 mm
Fixing screw spacing	60 mm
Mounting	Flush-mounted, screw fixing
Protection rating	IP20
Operating temperature	-20 ~ +70 °C
Operating humidity	≤ 95%
Durability	Up to 100,000 operations
Colours	white, black, grey, gold

DIMENSION DRAWING



DESCRIPTION

The LUXION Wi-Fi touch curtain switch stands out for its compact, elegant and minimalist design. LUXION products are practical, made from quality materials and built to last, offering functionality and comfort in your home.

Enjoy the flexibility of the new Luxion range: with the glass touch panel you control your curtains with a single touch, while via Wi-Fi you can open or close them remotely with the Smart Life app or with voice commands.

- Panel made of 4 mm toughened safety glass
- Mechanism made of fire-resistant PVC plastic
- Rated for up to 100,000 operations
- Compatible with iOS and Android

touch curtain switch with glass panel, from the new Luxion range.

- Glass touch panel made of toughened safety glass
- Wi-Fi connectivity
- Rated for up to 100,000 operations

Technical parameters

- Power supply: 90 V-250 V AC, 50/60 Hz
- Load power: 1000 W/channel
- Compatible operating systems: iOS/Android
- Wi-Fi frequency: IEEE802.11 b/g/n
- Wi-Fi standard: Wi-Fi 2.4 GHz b/g/n
- Wireless operation consumption: ≤0.2 W
- Operating temperature: -20 ℃ ~ 70 ℃
- Operating humidity: ≤95 %

App control

Open or close your curtains remotely with the Smart Life mobile app.

- Wi-Fi connection
- Voice control
- Night mode
- Device sharing
- Schedules
- Smart scenes

Example: “Alexa, close the curtains.” – “Okay”.

- Smart Life
- Tuya Smart
- Amazon Alexa
- Google Home
- IFTTT

Structure / components

The switch consists of three parts and is fixed with screws.

- Elegant glass panel
- Switch mechanism
- Metal mounting frame
- Fixing screw spacing: 60 mm

Dimensions

- Width: 86 mm
- Height: 86 mm
- Panel thickness: 9 mm
- Mechanism depth: 26 mm
- Mechanism height: 49 mm

Installation / wiring diagram

Connect the neutral (N) and live (L) to the switch and the curtain motor to terminals L1 and L2.

- N: Neutral
- L: Live
- L1 / L2: Motor outputs
- 1. Open the packaging.
- 2. Connect the wires and tighten the screws.
- 3. Use the 2 screws to fix the frame.
- 4. Fit the front panel.