
LUXION RF433 single touch switch with glass frame


LUXION single touch switch with a glass frame and wireless control via an RF433 remote control, in white, black, grey or gold.




Black


Gold


Grey


White

CODES


Colour	Code
Black	LX-MT-R101G-B
Gold	LX-MT-R101G-G
Grey	LX-MT-R101G-GY
White	LX-MT-R101G-W

SPECIFICATIONS

Brand	LUXION
Standard	German (Schuko)
Category	Touch switches › Single touch switches
Connectivity	RF433
Product type	RF433 single touch switch with glass frame
Function	Touch on/off, remote operation with RF433 remote control
Number of buttons	1
Operating voltage	up to 250 V AC
Frequency	50–60 Hz
Maximum load	1000 W/channel
Neutral (N)	Yes (according to the wiring diagram)
Protocol	RF433
Compatibility	LUXION key-fob or switch-type RF remote control (sold separately)
LED indicator	Blue when the light is on, faint blue when it is off
Front material	Crystal safety glass, heat-resistant

Base material	Flame-retardant PVC plastic, metal mounting frame
Front dimensions (W × H)	86 × 86 mm
Depth	35 mm (9 mm front + 26 mm mechanism)
Mechanism dimensions	Height 49 mm, depth 26 mm
Fixing screw spacing	60 mm
Mounting	Flush-mounted, screw fixing
Protection rating	IP20
Operating temperature	-20 ~ +70 °C
Operating humidity	≤ 95%
Colours	black, gold, grey, white

DIMENSION DRAWING



DESCRIPTION

LUXION switches stand out for their compact, elegant and minimalist design. They are versatile in use, and the touch sensor is extremely precise, the same as that of a smartphone. The construction is durable and the switches do not fade over time. This is a practical product, made from quality materials and built to last, offering functionality and comfort in your home.

The switch can also be controlled remotely, with the LUXION RF remote control (key-fob type) or with the switch-type RF remote control.

Please note: the RF remote controls are not included and are sold separately.

LUXION single touch switch with RF433, available in white, black, grey and gold.

- Compact, elegant and minimalist design
- Extremely precise touch sensor, the same as a smartphone's sensor
- Moisture-resistant – can be used in damp areas
- Does not fade – the elegant design stays unchanged
- ON / OFF operation with a simple touch
- LED indicator: blue when the light is on, faint blue when it is off

Control with RF remote control

With an RF remote control you can switch Luxion switches on or off remotely. The RF remote control is not included and must be purchased separately.

- Compatible with the LUXION key-fob RF remote control
- Compatible with the switch-type RF remote control
- Operating frequency: 433.92 MHz
- Elegant glass panel
- Switch mechanism
- Metal frame
- Screw fixing system with 60 mm spacing

Dimensions

- Panel: 86 x 86 mm
- Panel thickness: 9 mm
- Mechanism depth: 26 mm
- Mechanism height: 49 mm
- Fixing screw spacing: 60 mm

Installation / wiring diagram

Connect the live (L) to terminal L and the load (light fitting) to terminal L1; the neutral (N) runs to the light fitting.

- Do not install with the power on
- Install strictly according to the wiring diagram
- 1. Open the packaging.
- 2. Connect the wires and tighten the screws.
- 3. Fix the frame with the 2 screws.
- 4. Clip the front panel into place.